

Soyabean				
Sr. no.	Growth Stages	Products	Applications	Method & Dosage
1	At the time of land preparation	Neem cake	To improve efficiency of nitrogen providing fertilizers.	Soil Application
3	Vegetative stage	Lumme	To improve flowering	Foliar spray, 2ml/litre of water
		Thrive	Effective for management of Powdery mildew & Downy mildew.	Drenching or Foliar spray, 2 ml/litre of water
4	At the time of flowering	Lumme	To fruit development and growth.	Drenching or Foliar spray, 2 ml/litre of water
		Entice	To minimise infestation of insect pest	Drenching or Foliar spray, 2 ml/litre of water
		Thrive	Management for fungal disease.	Drenching or Foliar spray, 2 ml/litre of water
		Optima	To preventive control of larval pests.	Drenching or Foliar spray, 2 ml/litre of water
<p><b>Note:</b></p> <ol style="list-style-type: none"> <li>1. Spray should be given in morning or evening. Avoid applications under high wind, there should not be any heavy rainfall at least within 5 hours of application.</li> <li>2. Not to be used on crops other than specified on this leaflet.</li> <li>3. Do not mix above Herbal products with any chemical products.</li> <li>4. The used packages shall not be left outside to prevent their re-use. This material should be disposed of in safe manner to prevent environmental and water pollution.</li> </ol>				